

nationalgrid

April 28 - May 2, 2008

**HOT LINE TOOL & ELECTRICAL
SALED BID SALE**


at

National Grid's Investment Recovery Center
4651 Crossroads Park Drive
Liverpool NY

Bid Deadline
5:00 pm Friday, May 2nd, 2008

EVERYTHING SELLS AS IS - WHERE IS!

Bidder # _____



LOT #	DESCRIPTION	BID PRICE	TOTAL
1	A-FRAME REEL SUPPORT USED		
2	A-FRAME SUPPORTS USED		
3	5 EA. CRIMP TOOLS Y-35 HYPRESS BURNDY Y35-2 USED		
4	26 EA. CABLE/LINE PULLERS - GRIPS KLEIN / CRESCENT USED		
5	21 EA. ASSORTED GROUNDING CLAMPS USED		
6	21 EA. ASSORTED GROUNDING CLAMPS USED		
7	23 EA. CABLE/LINE PULLERS - GRIPS KLEIN / CRESCENT USED		
8	6 EA. RATCHET TYPE GUY STRAND CUTTER HK PORTER 8690CK USED		
9	28 EA. FAULT INDICATORS 200 AMP RESET 3-0 AMP, MFG. DATE 04/90 FISHER PIERCE 5 EA. 1514SH-2J3-NTB-B 23 EA. 1514SH-2W3-NTB-B		
10	2 EA. EQUIPMENT MOUNT ASSEMBLIES ALUM A FORM		
11	10 EA. LARGE SPLICES FARGO A1519-72		
12	25 EA. CABLE/LINE PULLERS - GRIPS KLEIN / CRESCENT USED		
13	24 EA. CABLE/LINE PULLERS - GRIPS KLEIN / CRESCENT USED		
14	31 EA. CABLE/LINE PULLERS - GRIPS KLEIN / CRESCENT USED		

LOT #	DESCRIPTION	BID PRICE	TOTAL
15	29 EA. CABLE/LINE PULLERS - GRIPS KLEIN / CRESCENT USED		
16	8 EA. RATCHET TYPE HARD CABLE CUTTER HK PORTER 8690FH USED		
17	7 EA. CRIMP TOOLS FIBERGLASS HANDLE KEARNEY USED		
18	125 EA. DEADEND PREFORMS (YELLOW) - PLP DG-4544 50 EA. DEADEND-PREFORM (BROWN) - PLP GDE-MS-8927		
19	ASSORTED DEAD-ENDS PLP AWGG0870 & PLP GDE-MS-8923		
20	APPROXIMATELY 75 EA. VIBRATION DAMPERS TRANSMISSION ALCOA		
21	6 EA. VIBRATION DAMPERS TRANSMISSION - RANGE 1.331-1.486 ALCOA		
22	APPROXIMATELY 70 EA. DAMPER, VIBRATION, 795 KCM 36/1 ACSR (COOT) & 26/7 (DRAKE), CONDUCTOR RANGE OF 0.971" MIN TO 1.130" MAX. ALCOA 1706-10-HV 08-03-848		
23	1,200' COPPER COATED STEEL WIRE 6 COPPERWELD 40% HS ON 6 REELS AT APPROXIMATELY 200' EA. ARTHUR HURLEY		
24	2,000' COPPER COATED STEEL WIRE 6 COPPERWELD 40% HS ON 4 REELS AT APPROXIMATELY 500' EA. ARTHUR HURLEY		
25	2,285' COPPER COATED STEEL WIRE 6 COPPERWELD 40% HS ON 4 REELS AT APPROXIMATELY 500' EA. & 1 REEL AT APPROXIMATELY 285 EA.		
26	1,035' COPPER COATED STEEL WIRE 6 COPPERWELD 40% HS ON 2 REELS AT APPROXIMATELY 500' EA.		
27	19 EA. BOLT CUTTERS HK PORTER USED		
28	12 EA. RATCHET WIRE CUTTERS HK PORTER 6990FS USED		

LOT #	DESCRIPTION	BID PRICE	TOTAL
29	12 EA. BOLT CUTTERS LONG & SHORT HANDLES HASTINGS USED		
30	MISC. SHACKLES, HOOKS AND PULLEYS		
31	HOT STICK TOOLS - ASSORTED USED		
32	5 EA. ASSORTED SINGLE TROLLEYS SHERMAN RILEY 680002 USED		
33	10 EA. LARGE SPLICES FARGO A15245		
34	4 EA. LOCKING DOG ASSEMBLY USED		
35	2 EA. TRUCK MOUNT ROPE TAKE-UP REEL 300 WORK AREA PROTECTION CORP WAML42DX USED		
36	ASSORTED DRILL BITS FOR WOOD		
37	6 EA. WIRE RATCHET CUTTERS CHANCE 4899445 USED		
38	6 EA. HYDRAULIC DRILLS 1 EA. ELECTRIC DRILL HUSKY, CRAFTSMAN USED		
39	110 EA. TIE, PREFORMED, 336.4 KCM ALUM, 18/1 ACSR CONDUCTOR, HELICALLY FORMED ALUM WIRE ELEMENT. PROTECTED IN CENTER W/A SHEATH OF CONDUCTIVE NEOPRENE COMPLETE W/NEOPRENE PAD FOR USE BETWEEN CABLE, INSULATOR FOR F NECK (YELLOW INSULATOR IDENTIFICATION MARK PREFORM LP WTF-0221 35-06-719		
40	SIGN LEGS AND 3 EA. TELESCOPING SIGN STANDS USED		
41	15 EA. VISI-FLASH SAFETY LIGHTS DIETZ 670 USED		
42	14 EA. TRANSFORMER GROUND LEAD SET ELASTIMOLD USED		

LOT #	DESCRIPTION	BID PRICE	TOTAL
43	ASSORTED HAND TOOLS IE., WRENCHES, GRIPS, PLIERS, ETC. USED		
44	ASSORTED HAND TOOLS; IE., SAWS, PULLEYS, DRILL, ETC. USED		
45	30 EA. CABLE - LINE PULLERS - GRIPS - LARGE KLEIN / CRESCENT USED		
46	APPROXIMATELY 40 EA. CABLE LINE PULLERS - GRIPS KLEIN / CRESCENT USED		
47	35 EA. CABLE LINE PULLERS - GRIPS USED		
48	14 EA. FLASHLIGHTS - HAND HELD STREAM LIGHT USED		
49	5 EA. ROBO CRIMP TOOL, BATTERY OPERATED WITH CHARGERS (NO BATTERIES) HUSKIES REC358U USED		
50	7 EA. EXTENSION CORDS, ASSORTED SIZES, LENGTHS & VOLTAGES		
51	4 EA. HYPRESS CRIMPING TOOL - BURNDY Y35 / Y35-2 3 EA. HYPRESS CRIMPING TOOL HEADS, MISC. DIES - BURNDY Y35 / Y35-2 USED		
52	4 EA. HOT STICKS WITH GROUNDING CABLE & CLAMPS USED		
53	5 EA. GLOVE BAGS - EXTIX 2212 4 EA. HOT STICK STORAGE BAGS - HASTINGS 8108 AND 05/821 MISC. SAFETY FLAG		
54	15 EA. CABLE SUPPORT GRIP HUBBELL 02202009 OR 02202010		
55	1,000' WIRE, GUY, STEEL, 10M, 3/8", UTILITY GRADE, 7 STRAND CLASS B, HOT DIP OR ELECTROPLATED GALVANIZED PER ASTM A475, ASTM A363, OR ALUMINIZED PER ASTM A474. .275 LBS./FT (4 250' COILS EA.) INTRAL 40-40-026		
56	6 EA. HOT LINE EQUIPMENT SADDLES USED		

LOT #	DESCRIPTION	BID PRICE	TOTAL
57	7 EA. SAFETY BELTS/LANYARDS WITH 2 SNAP HOOKS & 1 D RING USED		
58	28 EA. JACKHAMMER TOOLS USED		
59	2 EA. (OR 1 PAIR) HOIST PULLERS USED		
60	8 EA. SAFETY ROADWAY WORKMEN SIGNS USED		
61	6 EA. SAFETY ROADWAY WORKMEN SIGNS USED		
62	4 EA. STRAIN LINK STICKS (HOT LINE) CHANCE C400-0814 USED		
63	5 EA. POINTED SHOVELS WITH FIBERGLASS HANDLES USED		
64	1 EA. SPIDER SYSTEM - POSITIVE BREAKING CONTROLLER EQUAL TO SHERMAN RILEY MODEL #S-7500 USED		
65	2 EA. PHASING TESTER CHANCE H1879 USED		
66	ROPE VARIOUS LENGTHS, SLINGS, NYLON, ASSORTED BELTS AND STRAPS USED		
67	ROPE, VARIOUS SIZES AND LENGTHS USED		
68	8 EA. HAND HELD FLASHLIGHTS TELEDYNE BIG BEAM 1000 USED		
69	1 EA. HYDRAULIC COMPRESSION TAMPER USED		
70	2 EA. SUSPENSION LINK STICKS 2 EA. ROLLER LINK STICK 58" CHANCE USED		
71	1 PAIR PIPE STANDS SIMPLEX USED		

LOT #	DESCRIPTION	BID PRICE	TOTAL
72	96 EA. INSULATOR, SUSPENSION, 10" X 5-3/4", GRAY GLAZED, 20000LB. M E STRENGTH, 10000LB. TENSION PROOF. ANSI CLASS 52-3, PER ANSI C29.2. FOR 13/16" BALL & SOCKET TYPE FITTING. TO BE SUPPLIED IN ACCORDANCE WITH NGRID CS2261 LAPP 8200-70 20-21-018		
73	96 EA. INSULATOR, SUSPENSION, 10" X 5-3/4", GRAY GLAZED, 20000LB. M E STRENGTH, 10000LB. TENSION PROOF. ANSI CLASS 52-3, PER ANSI C29.2. FOR 13/16" BALL & SOCKET TYPE FITTING. TO BE SUPPLIED IN ACCORDANCE WITH NGRID CS2261 LAPP 8200-70 20-21-018		
74	1,350 LBS. 3/8" GUY WIRE - 1 REEL 40-40-026		
75	1,000' CABLE, NON-SHIELDED CONTROL, 600 VOLT NO.12 AWG 19 (COND) JKT THK 0.080, OD 0.95. 1000' REEL SGL COND THERMOSETTING FLAME RESISTANT TYPE INSUL CU CABLE WITH HYPALON JKT FOR SUBSTATION APPLICATIONS. CABLE SHALL BE IN ACCORD TO NMPC SYS SPEC. E-1092 ROCKBESTOS C52 3415 40-24-319		
76	11 EA. SAFETY WORKMAN ROADWAY SIGNS USED		
77	2 EA. CLAMPS 7 EA. DIES WACHS USED		
78	2 EA. PROPANE OPERATED HEATING UNIT ON STAND USED		
79	40 PR. CROSSARM BRACES ALUM A FORM AF626		
80	40 PR. CROSSARM BRACES ALUM A FORM AF626		
81	1,250' GUY WIRE 5/16" (5 COILS AT 250' EA.) STELFIL 19172		
82	8 EA. BRACKET, FLOOD LIGHT USED		
83	15 EA. TELESCOPING SIGN STANDS USED		

LOT #	DESCRIPTION	BID PRICE	TOTAL
84	9 EA. FUSES NETWORK PROTECTORS GOULD A4BY5000120CN5		
85	200' 350-01XLPUSE CABLE HOUSTON WIRE CABLE CO.		
86	APPR. 706' WIRE, 4/0 AWG 19 STRAND 60 MILS PE COVERED CU SNGL UNCOATED COND WITH CONC LAY CLASS B RND STRANDING PER ASTM B8. SOFT DRAWN PER ASTM B3. SHIPPING WILL BE (500LBS APPROX. 706 FT.) SHIPPED ON WOODEN NR REEL. REEL TO HAVE 18" TO 24" INSIDE TAIL EXPOSED SOUTHWIRE 40-01-044		
87	500' CABLE 5C 12AWG EPR/CPE 600V DIR BURY HOUSTON WIRE CABLE CO.		
88	1 EA. TAKE UP REEL FOR CABLE ON STAND BASLIN INDUSTRIES USED		
89	2 EA. JACKHAMMERS 1 BOX VARIOUS TAMPING TOOL ACCESSORIES - WACHS USED		
90	SPIDER SYSTEM - POSITIVE BRAKING CONTROLLER & REEL OF ROPE SHERMAN RILEY S-7500 USED		
91	SPIDER SYSTEM - POSITIVE BRAKING CONTROLLER & REEL OF ROPE SHERMAN RILEY S-7500 USED		
92	SPIDER SYSTEM - POSITIVE BRAKING CONTROLLER & REEL OF ROPE SHERMAN RILEY S-7500 USED		
93	ALDUTI-RUPTER SWITCH 34.5-38-200-600 AMP (2 CHIPPED INSULATORS) S & C ELECTRIC 135744R2		
94	96 EA. INSULATOR, SUSPENSION, 10" X 5-3/4", GRAY GLAZED, 20000LB. M E STRENGTH, 10000LB. TENSION PROOF. ANSI CLASS 52-3, PER ANSI C29.2. FOR 13/16" BALL & SOCKET TYPE FITTING. TO BE SUPPLIED IN ACCORDANCE WITH NGRID CS2261 LAPP 8200-70 20-21-018		

LOT #	DESCRIPTION	BID PRICE	TOTAL
95	10 EA. CRIMPING TOOL WITH WOOD HANDLE BURNDY MD-6 USED		
96	GROUNDING SETS WITH DUCK BILL CLAMPS AND ASSORTED CABLE LENGTHS USED		
97	10 EA. RATCHET CUTTERS HK PRTER 6990FS USED		
98	3 EA. CHAIN HOIST - RATCHET TYPE 2 EA. STRAP HOIST - RATCHET TYPE CHANCE USED		
99	INSULATED JUMPER SETS, ASSORTED CABLE SIZES & LENGTHS CHANCE USED		
100	INSULATED JUMPER SETS, ASSORTED CABLE SIZES & LENGTHS CHANCE USED		
101	INSULATED JUMPER SETS, ASSORTED CABLE SIZES & LENGTHS CHANCE USED		
102	INSULATED JUMPER SETS, ASSORTED CABLE SIZES & LENGTHS CHANCE USED		
103	INSULATED JUMPER SETS, ASSORTED CABLE SIZES & LENGTHS CHANCE USED		
104	INSULATED JUMPER SETS, ASSORTED CABLE SIZES & LENGTHS CHANCE USED		
105	INSULATED JUMPER SETS, ASSORTED CABLE SIZES & LENGTHS CHANCE USED		

LOT #	DESCRIPTION	BID PRICE	TOTAL
106	INSULATED JUMPER SETS, ASSORTED CABLE SIZES & LENGTHS CHANCE USED		
107	INSULATED JUMPER SETS, ASSORTED CABLE SIZES & LENGTHS CHANCE USED		
108	GROUNDING SETS, ASSORTED CABLE LENGTHS AND GROUNDING CLAMPS USED		
109	GROUNDING SETS, ASSORTED CABLE LENGTHS AND GROUNDING CLAMPS USED		
110	GROUNDING SETS, ASSORTED CABLE LENGTHS AND GROUNDING CLAMPS USED		
111	GROUNDING SETS, ASSORTED CABLE LENGTHS AND GROUNDING CLAMPS USED		
112	GROUNDING SETS, ASSORTED CABLE LENGTHS AND GROUNDING CLAMPS USED		
113	GROUNDING SETS, ASSORTED CABLE LENGTHS AND GROUNDING CLAMPS USED		
114	GROUNDING SETS, ASSORTED CABLE LENGTHS AND GROUNDING CLAMPS USED		
115	GROUNDING SETS, ASSORTED CABLE LENGTHS AND GROUNDING CLAMPS USED		
116	GROUNDING SETS, ASSORTED CABLE LENGTHS AND GROUNDING CLAMPS USED		
117	GROUNDING SETS, ASSORTED CABLE LENGTHS AND GROUNDING CLAMPS USED		
118	GROUNDING SETS, ASSORTED CABLE LENGTHS AND GROUNDING CLAMPS USED		

LOT #	DESCRIPTION	BID PRICE	TOTAL
119	GROUNDING SETS, ASSORTED CABLE LENGTHS AND GROUNDING CLAMPS USED		
120	GROUNDING SETS, ASSORTED CABLE LENGTHS AND GROUNDING CLAMPS USED		
121	1 EA. TAKE UP REEL (REEL ONLY) 1 EA. CAPSTAN DRUM 1 EA. WINCH DRUM 1 EA. WINCH TROLLEY USED		
122	11 EA. INSULATOR COVERS CHANCE M4932 USED		
123	5 EA. STABILIZER TRUCK PADS USED		
124	5 EA. VARIOUS SIZED CRIMPING TOOLS 2 EA. CRIMP HEADS USED		
125	5 EA. ASSORTED GRIPS USED		
126	4 EA. SUSPENSION LINK STICK (HOT LINE) CHANCE H4720-96 USED		
127	10 EA. GRIP - ALL CLAMPSTICKS (SHOT GUNS) CHANCE C403-0293 USED		
128	7 EA. DIGGER ROD EXTENSION 1' 2 EA. DIGGER ROD EXTENSION 3'		
129	10 EA. 8' GROUNDING STICKS CHANCE USED		
130	3 EA. HYDRAULIC TAMPERS USED		
131	7 EA. BRACKET, MOUNTING, RACK-FRAME, TRANSFORMER, DOUBLE BAND GALVANIZED STEEL - EQUAL TO CHANCE C212-0143 (08-06-394) AND/OR BRACKET, MOUNTING, RACK-FRAME, TRANSFORMER, SINGLE BAND STEEL - CHANCE C212-0141 08-06-395		

LOT #	DESCRIPTION	BID PRICE	TOTAL
132	5 EA. BRACKET, MOUNTING, RACK-FRAME, TRANSFORMER, DOUBLE BAND GALVANIZED STEEL - EQUAL TO CHANCE C212-0143 (08-06-394) AND/OR BRACKET, MOUNTING, RACK-FRAME, TRANSFORMER, SINGLE BAND STEEL - CHANCE C212-0141 08-06-395		
133	3 EA. IBRACKET, MOUNTING, RACK-FRAME, TRANSFORMER, DOUBLE BAND GALVANIZED STEEL - EQUAL TO CHANCE C212-0143 (08-06-394) AND/OR BRACKET, MOUNTING, RACK-FRAME, TRANSFORMER, SINGLE BAND STEEL - CHANCE C212-0141 08-06-395		
134	2 EA. SOIL PIPE CUTTERS RIDGED 246 USED		
135	4 EA. LEVER TYPE WIRE CUTTER HOT STICK CHANCE H1871-6 USED		
136	3 EA. SPRIAL LINK STICKS CHANCE H4722 USED		
137	6 EA. BATTERY OPERATED CRIMPING TOOL HUSKIES REC-458U USED		
138a	2 EA. HYPRESS CRIMPING TOOL - BURNDY Y39 1 EA. FAIRMONT DYNAPRESS HYDRAULIC INTENSIFIER #H6710B4 WITH CRIMPING HEAD USED		
138b	750' GUY WIRE 3/8" (3 COILS AT 250' EA.) 40-20-026		
139	750' 5/16" GROUND WIRE STILFIL		
140	TRANSFORMER GIN HASTINGS 216 USED		
141	4 EA. POWER DRILLS USED		
142	2 EA. MISC. WEIGHTED SLINGS 54 EA SPRINGS		
143	2 EA. HOTSTICK EXTENSION WITH POLE CLAMP - CHANCE 1 EA. TELESCOPIC EXTENSION POLE HOT STICK - CHANCE 1 EA. JIB EXTENSION - CHANCE 1 EA. POLE CLAMP EXTENSION - CHANCE USED		

LOT #	DESCRIPTION	BID PRICE	TOTAL
144	2 EA. GROUNDING STICKS 1 EA. LINK STICK 2 EA. LEVER TYPE HOT STICKS		
145	8 EA. LONG WOOD HANDLE WIRE CUTTER USED		
146	3 EA. POLE MOVER - LEACH CO. 1 EA. CHAINSAW HOLDER), FIBERGLASS, AERIAL BASKET, 32" X 6" X 3-1/4" 3-1/4" OPENING - BUCKINGHAM 4514 - (65-12- 567) 2 EA. BOLT CUTTERS USED		
147	2 EA. HYDRAULIC CHAIN SAWS - STANLEY CS05 1 EA. HYDRAULIC TREE PRUNER APPROX 8' USED		
148	2,977' CABLE, PRIMARY NO. 2 AWG ALUM 1/C RBR (URD) 15 KV 60 HZ 1 COND SHIELDED THERMOSETTING RBR BASE INSUL ALUM URD POWER CAL W/CONCENTRIC NEUTRAL CABLE SHALL BE IN ACCORD W/NMPC. SYS SPEC E-1080. ONE CABLE TO BE FURNISHED ON A REEL. STAND LGTH PER RL (FT) 3000 40-26-121		
149	3,000' CABLE, PRIMARY NO. 2 AWG ALUM 1/C RBR (URD) 15 KV 60 HZ 1 COND SHIELDED THERMOSETTING RBR BASE INSUL ALUM URD POWER CAL W/CONCENTRIC NEUTRAL CABLE SHALL BE IN ACCORD W/NMPC. SYS SPEC E-1080. ONE CABLE TO BE FURNISHED ON A REEL. STAND LGTH PER RL (FT) 3000 40-26-121		
150	3 EA. RATCHET WIRE CUTTERS HK PORTER USED		
151	TAKE-UP REEL USED		
152	25. EA 8' ANCHOR RODS		
153	ASSORTED WOOD DRILL BITS USED		
154	LOADBUSTER S & C ELECTRIC 5300R3 USED		
155	15 EA. CROSSARMS 10'		
156	TRUCK MOUNTED SAFETY LIGHT BAR USED		

LOT #	DESCRIPTION	BID PRICE	TOTAL
157	2 EA. STORAGE CANISTER FOR RUBBER INSULATING BLANKETS CHANCE C403-2998 USED		
158	16 EA. SAFETY FLASHERS VISI-LIGHT 670 USED		
159	1 EA. CONDUCTOR COVER - CHANCE M4931 1 EA. POLE WRAP USED		
160	2 EA. WIRE ROLLERS USED		
161	2 EA. HYDRAULIC CONDUCTOR CUTTERS CHANCE C403-0731 USED		
162	10 EA. UNIVERSAL HOT STICK POLES CHANCE H1760 USED		
163	3 EA. HYPRESS CRIMPING TOOL BURNDY Y35-2 USED		
164	1 EA. PLASTIC PIPE SQUEEZE TOOLS, CAP 2" - 4" I.P.S. MELFRED WELDING DBSG40 1 EA. PLASTIC PIPE SQUEEZE TOOL CAP 1" - 2" I.P.S. MUSTANG DBS-20 USED		
165	ASSORTED HAND TOOLS, IE., PLIERS, TIN SNIPS, SCREWDRIVERS, FILES USED		
166	11 EA. HAND SAWS 1 EA. 7 1/4" CIRCULAR SAW - B&D 7301 USED		
167	ASSORTED DRILL BITS		
168	9 EA. ASSORTED HAND SAWS 3 EA. CHAINSAW BLADES		
169	ASSORTED HAND TOOLS, IE., CRESCENT WRENCHES, RATCHET WRENCHES, SCREWDRIVERS		
170	ASSORTED HAND TOOLS, IE., PLIERS, WRENCHES, NUT DRIVERS, GREASE GUN		

LOT #	DESCRIPTION	BID PRICE	TOTAL
171	80 EA. SPLICE, COMPRESSION LOOP, VERSA CRIMP, 4/0 STR-4 SOL CU ANDERSON VHS4/0 UNUSED 35-07-162		
172	17 EA. HOT STICK DISCONNECT SWITCH 600 AMP 15.5 KV (M3 SWITCH) CHANCE M3D66B UNUSED NIS		
173	17 EA. METER MOUNTING ACCESSORIES ANCHOR ELECTRIC CO. 169NM UNUSED NIS		
174	24 EA. ADAPTER MARWELL 2200-H UNUSED NIS		
175	3 EA. TEST SWITCH THE DURHAM COMPANY 6-22163F UNUSED NIS		
176	70 EA. ADAPTER, METER, A-BASE TO SOCKET, SINGLE PHASE, 3 WIRE, 100-125 CONTINUOUS AMP, 4 TERMINAL, 4 JAW, LOW PROFILE. WITH 8IN GROUND WIRE, 3 MOUNTING SCREWS AND SLIP LOCK RING EKSTROM SSD-SP4456-51 UNUSED 30-01-500		
177	3 EA. ELBOW, LIGHTNING ARRESTOR, 27 KV, DISTRIBUTION CLASS, METAL-OXIDE TYPE SURGE ARRESTOR, 27 KV (22KV MVOV) SHIELDED ELBOW HOUSED IN ACCORDANCE WITH ANSI C62.11 AND ANSI/IEEE 386, FURNISHED WITH A BARE 37IN LONG NO.6 AWG STRANDED COPPER GROUNDING CABLE JOSLYN 8132B1027J011 UNUSED 20-06-025		
178	N/A		
179	3 EA. ELBOW, LOADBREAK KIT 200 AMP COOPER 20-14-947		
180	N/A		

LOT #	DESCRIPTION	BID PRICE	TOTAL
181	4 EA. ELBOW, LOADBREAK KIT, 200AMP, 8.3/14.4KV. USE ON NO.2 AWG COPPER, 15KV PRIMARY CABLE WITH CONCENTRIC NEUTRAL, ITEM UC11B. THE KIT INCLUDES ALL MATERIAL NECESSARY FOR INSTALLATION. REFER TO NMPC SYS. SPEC. E-1074 (MAINTENANCE WORK ONLY) ELASTIMOLD 165LRR-GA220-CS780 UNUSED 20-14-947		
182	15 EA. ELBOW ARRESTER ELASTIMOLD 167ESA151BX UNUSED		
183	Through 186 N/A		
187	109 EA. 100 AMP FUSE TUBE CHANCE 20-23-701		
188	15 EA. SPLICE KIT PREMOLDED STRGT 600A 08-09-844		
189	3 EA. GRIP CABLE SUPPORT HUBBELL 2202010 20-15-042		
190	250 EA. BOLTEYE, STANDARD EYELET, 5/8" BOLT DIA, 11/16" X 1" BOLT HOLE SIZE, PER NEMA STANDARD PH5-1977 JOSLYN 1126 UNUSED 35-03-116		
191	100 EA. INSULATOR, SECONDARY RACK, 600V, PORCELAIN, GRAY, ANSI C29-3. CLASS 53.2., A-NECK COOPER POWER DE4S5 20-05-071		
192	N/A		
193	1 PR. YELLOW SLOSH BOOTS SIZE 6 (80-23-027) 5 PR. YELLOW SLOSH BOOTS SIZE 8 (80-23-029) 3 PR. YELLOW SLOSH BOOTS SIZE 9 (80-23-031) 3 PR. YELLOW SLOSH BOOTS SIZE 15 (80-23-037) UNUSED		
194	Through 215 - N/A		
216	5 EA. TERMINATOR, GREY 2 STR COMPR 1 COMP 675-785 ELASTIMOLD 16THG-FB-0220-4 UNUSED 20-14-810		

LOT #	DESCRIPTION	BID PRICE	TOTAL
217	<p>5 EA. ELBOW, LOADBREAK KIT, 200AMP, 8.3/14.4KV. USE ON NO.2 AWG COPPER, 15KV PRIMARY CABLE WITH CONCENTRIC NEUTRAL, ITEM UC11B. THE KIT INCLUDES ALL MATERIAL NECESSARY FOR INSTALLATION. REFER TO NMPC SYS. SPEC. E-1074 (MAINTENANCE WORK ONLY) ELASTIMOLD 165LRR-GA220-CS780 CHARDON 9U01ABD633 20-14-947</p>		
218	<p>3 EA. TAP, WELL REDUCING, 600A/200A 15 KV INSULATING SHIELDING AND WATER-SEALING REDUCING BUSHING WELL INTERFACE BETWEEN A 600A DEADBREAK ELBOW ITEM UR60 OR 600A DEADBREAK BUSHING EXTENSION ITEM UR69 AND A200A LOADBREAK BUSHING PLUG INSERT ITEM UR36 ELASTIMOLD 650RTWS 20-14-979</p>		
219	<p>28 EA. ROD, GROUNDING, 15 KV FOR USE IN GROUNDING FEED -THRU DEVICE ITEM UR29 OR BUSHING PLUG INSERT ITEM UR36 AFTER CIRCUIT HAS BEEN TESTED DEAD, FOR COMPLETE SPECIFICATIONS REFER TO N.M.P.C. SYSTEM SPECIFICATION E-1074 GE 9U09BAB001 20-14-953</p>		
220	<p>4 EA. 3-WAY JUNCTION ELASTIMOLD 20-14-948</p>		
221	<p>6 EA. 15 KV D.H.C. SPLICE 2 SOL - 1/0 STR 20-14-814</p>		
222	<p>2 EA. CONNECTOR PLUG ELASTIMOLD 20-14-978</p>		
223	<p>3 EA. CUTOUT, OPEN TYPE, SINGLE VENTING, INTERCHANGEABLE, 15KV POLYMER WITH 200A DOOR WITHOUT MOUNTING BRACKET, PER MS 2731 S & C 9071R11-P-M UNUSED 08-11-133</p>		
224	<p>N/A</p>		
225	<p>25 EA. GUARD, BUSHING OR BIRD GUARD, ELECTROSTATIC AND PHYSICAL BARRIER, HOT STICK INSTALLABLE UP TO 35 KV CARLTON S89PLN, 3M - GG1525 08-10-026</p>		
226	<p>436 EA. HEAVY HEX NUT 3/4"</p>		

LOT #	DESCRIPTION	BID PRICE	TOTAL
227	40 EA. BOLT 3/4" X 4" 70-09-553		
228	4 EA. MOUNTING, POWER FUSE, DROPOUT TYPE, 15KV, 200 AMP, SINGLE POLYMER INSULATOR STYLE, TYPE SMD-20. INCLUDES HANGER FOR CROSSARM MOUNTING, FUSE END FITTINGS AND PARALLEL GROOVE CONNECTORS, 20,000 ASYMMETRICAL S & C 92122R3-D UNUSED 20-23-522		
229	90 EA. SPACER, CONDUIT, 5" INTERMEDIATE MOLD HIGH-IMPACT POLYSTYRENE FOR ENCASEMENT IN CONCRETE OR DIRECT BURIAL, SPACERS SLIDE TOGETHER HORIZ, SNAP TOGETHER VERT PROVIDING 3" HORIZ, 3" VERT SPACING BETWEEN CONDUITS, FOR TEMP RANGE -20 DEG F-170 DEG F CARLON S289PLN UNUSED 20-10-317		
230	20 EA. CONNECTOR AMP 1-602031-6 UNUSED		
231	3 EA. CUTOUT, OPEN TYPE, INTERCHANGEABLE, 15KV POLYMER WITH 300A SOLID BLADE DOOR, WITHOUT MOUNTING BRACKET, PER MS 2731 S & C 89221R10-PM UNUSED 08-11-134		
232	250 EA. SCREW, LAG SQUARE HEAD, PILOT POINT, 1/2" X 4", STEEL, SHOULDER SHANK , TWIST DRIVE JOSLYN J8754P UNUSED 70-11-833		
233	50 ROLLS VINYL ELECTRIC TAPE 1-1/2" X 66' X .0085" 3M		
234	400 EA. STAPLES SM 1-3/4" X 3/8" X .148" 35-03-451		
235	15 EA. CONNECTOR HOT LINE FARGP GGA1-5 UNUSED 35-04-027		
236	44 EA. ELECTRON TUBE RCA 12A47A		

LOT #	DESCRIPTION	BID PRICE	TOTAL
237	1 EA. CONNECTOR, MINI-PAD, SECONDARY 5/8IN STUD, #2-500 ALUMINUM CONDUCTOR RANGE, 6 POSITION, QUICK DISCONNECT FEATURE, INHIBITOR LOADED. 2 PHASE (INSULATED) AND 1 NEUTRAL (UNINSULATED) CONNECTOR PER PACKAGE. OMIT 5/16" HEX WRENCH CONNECT MFG. K00751 56-41-661		
238	3 EA. SPLICE, KIT, COLD SHRINK, 15 KV MAX, CONDUCTOR RANGE 2 - 4/0 AWG, EACH KIT SHALL INCLUDE ALL COMPONENTS NECESSARY TO COMPLETE SPLICE EXCEPT CRIMP CONNECTOR 3M 5415A 08-11-158		
239	58 EA. CONNECTOR, TAP, COMPRESSION, COPPER. C-TYPE. RANGE TAKING. 3/0 SOL.-4/0 STR. RUN. 6 SOL.-2 STR. TAP. UNPLATED AND WITHOUT INHIBITOR 18 EA 3/0 - 4/0 STR F OR D3 BURNDY YC28-C2 35-06-644		
240	100 EA. INSULATOR, SECONDARY RACK, 600V, PORCELAIN, GRAY, ANSI C29-3. CLASS 53.2., A-NECK COOPER POWER DE4S5 20-05-071		
241	N/A		
242	45 EA. CONNECTOR, WEDGE TAP, 2-PC AL COMPR TAP CONN AL TO AL OR AL TO CU, CONSIST OF AL SPR C MBR, AL ALY WDG FURN LBLD, CLR CODE ANSI C119.4, CL A, CL 3. MAIN-795 36/1; TAP-795 36/1 ACSR, MAIN-795 26/7 ACSR; TAP-795 26/7, 36/1 ACSR OR 605 26/7 ACSR AMP 602121 08-01-956		
243	& 242 N/A		
245	8 EA. JUNCTION, LOADBREAK, 200A, 8.3/14.4 KV, 3-WAY WITHOUT HARDWARE, FOR CONNECTING LOADBREAK ELBOWS ITEM UR23IN VAULTS AND ENCLOSURES, FOR COMPLETE SPECIFICATIONS REFER TO N.M.P.C. SYSTEM SPECIFICATION E-1074 COOPER LJ215C3U 20-14-960		
246	24 ROLLS TAPE, SEALER, PLASTIC 4"X .125" X 10' ROLL, COMPOUND TAPE, GREY IN COLOR, FURNISHED WITH A LINER POWER DELIVERY 18415-3 20-05-515		
247	Through 250 N/A		

LOT #	DESCRIPTION	BID PRICE	TOTAL
251	18 EA. KIT, FIRST AID, 16 UNIT, METAL, WITH GASKET, EMPTY NORTH SAFE 05-25-64 80-02-630		
252	3 EA. DIE, INDEX 300, FOR Y35 BURNDY TOOL BURNDY U34ART 65-12-751		
253	Through 257 N/A		
258	8 EA. JUNCTION, LOADBREAK, 200A, 8.3/14.4 KV, 3-WAY WITHOUT HARDWARE, FOR CONNECTING LOADBREAK ELBOWS ITEM UR23IN VAULTS AND ENCLOSURES, FOR COMPLETE SPECIFICATIONS REFER TO N.M.P.C. SYSTEM SPECIFICATION E-1074 COOPER LJ215C3U UNUSED 20-14-960		
259	1 EA. JUNCTION, LOADBREAK, 200A, 8.3/14.4 KV, 4-WAY WITHOUT HARDWARE, FOR CONNECTING LOADBREAK ELBOWS ITEM UR23IN VAULTS AND ENCLOSURES, FOR COMPLETE SPECIFICATIONS REFER TO N.M.P.C. SYSTEM SPECIFICATION E-1074 COOPER LJ215C4U 20-14-961		
260	Through 265 N/A		
266	1 EA. FLOODLIGHT LUMINAIRE 400W HPS-120 08-11-061		
267	8 EA. KIT, CABLE PREP, CLEANING, DEGREASING MED, HIGH VOLT CBL WHEN PREPARING A CBL SPLICE OR CBL TERM. KIT HAS (2) 32 OZ SPRAY CONTAINERS OF CLEANER, DEGREASER; (48) CLEANER, DEGREASER TOWELS; (200) WIPINGTOWEL; (1) 20" X 9-1/4"X 10-1/2" PLSTC CASE 08-08-537		
268	1 EA. FUSE, SILENCER FOR USE WITH SM42, SME42 HOLDERS S & C 5535SR2-G1G1H2J-2		
269	29 EA. COUPLING, CONDUIT, 5IN STRAIGHT, MOLDED FROM GREY PVC IN ACCORDANCE WITH NEMA TC9 AND ASTM F- 512, DESIGNED FOR DIRECT BURIAL WITHOUT ENCASEMENT IN CONCRETE, ALSO SUITABLE FOR CONCRETE ENCASEMENT. NON-METALLIC CARLON LAMSON E240P 20-10-455		
270	6 EA. ALTD SWITCH 15-38 KV CHANCE ALTD06200RN UNUSED NIS		

LOT #	DESCRIPTION	BID PRICE	TOTAL
271	50 EA. 5BOLT, MACHINE, 5/8"DIA X 16" LONG, SQUARE HEAD, GALVANIZED STEEL, MINIMUM 6IN THREAD, PER ANSI STANDARD C135.1, ZINC COATED IN ACCORDANCE WITH ASTM A153 OR B695 CHANCE 8816 REFURBISHED 70-01-505		
272	N/A		
273	3 EA. ARRESTER, SURGE, INTERMEDIATE CLASS, POLYMER HOUSED, MOV TYPE, 27KV. DUTY CYCLE RATING, 22KV. MCOV. INCLUDES SUSPENSION CAP, 4-HOLE SPADE ON LINE SIDE AND GROUND TERMINAL ON THE GROUND SID OHIO BRASS 300022, HUBBELL 3002 20-06-052		
274	5 EA. TERMINATION, COLD SHRINK, DESIGNED FOR TERMINATING 35KV CABLE WITH INSULATION O.D. BETWEEN: 0.72" - 1.29" 3M ADHEV 35MTGHAB10-10-4 08-10-901		
275	2 EA. CUTOUT, ENCLOSED, HOOK STICK, 5KV, GREY PORCELAIN HOUSING, 100A SMALL BOX, HEAVY DUTY DROPOUT FUSED. FUSE TUBES ACCEPT STANDARD K-LINKS (ITEM NO. F1K). INCLUDES STANDARD CROSSARM MOUNTING BRACKET ABB 632A-808A07 20-23-930		
276	10 EA. FITTING, END, FUSE, 14.4KV, 200AMP, SM-20 FUSE TYPE WITH SILENCER S & C ELECTRIC 3097 20-23-529		
277	N/A		
278	5 EA. THERMOSTAT, 50-200 DEG F HS-202 CONTACTS TO CLOSE, ONFALLING TEMP AT 55 DEG F 56-98-155		
279	6 EA. CONNECTOR, TEE, 500 KCM RUN, 500 KCM TAP, COPPER, COMPRESSION RUN CONNECTION, COMPRESSION TAP CONNECTION, HYTEE BURNDY YST3434 59-60-721		
280	7 EA. CONNECTOR, TERMINAL, 500-600 KCM CONDUCTOR, 1" DIA TO ALUM, FOR G&W SLIP-ON TERMINATORS. DO NOT PACK WITH TERMINATORS G&W ELEC A5088-10 56-92-272		
281	13 EA. CONNECTOR, TEE TUBE TO CABLE ANG 1" TUBING RUN 4/0 COPPER TOP CONDUCTOR BOLTED BURNDY 59-65-570		

LOT #	DESCRIPTION	BID PRICE	TOTAL
282	2 EA. CONNECTOR, TEE TUBE - TUBE STRAIGHT 59-60-622		
283	3 EA. CONNECTOR TEE 2 EA. CABLE STRAIGHT 4/0 AWG 4/0 TAP COPPER COMPRESS BURNDY 59-60-720		
284	11 EA. CONNECTOR, TEE, CABLE TO CABLE, 750KCM RUN CONDUCTOR, 750KCM TAP CONDUCTOR, COPPER, BOLTED RUN CONNECTION, BOLTED TAP CONNECTION BURNDY NT3939 59-65-150		
285	2 EA. FUSE, CURRENT LIMITING 59-08-807		
286	2 EA. ROPE STABLE BRAID (2-IN-1) 5/8" 54-81-540		
287	1 EA. ROPE, STABLE BRAID (2-IN-1), 1" DIA X 10' LONG, W/DURON (TM) SYNTHETIC, W/3IN EYE ON BOTH ENDS (IN PLASTIC BAG), WITH TYPE A SAMTHANE ORANGE COATING. ROPE TO BE STITCH LOCKED OR TIGHTLY SEIZED AT THE EYE SPLICE SAMSON 8060646 54-81-546		
288	1 EA. ROPE STABLE BRAID (2-IN-1) 1 DIA 10' LONG, 3" EYES ENDS (NOT IN PLASTIC) SAMSON 54-81-545		
289	135 EA. FUSE, CLEAR PLUG, 15A, 125VAC, GLASS/CERAMIC, SCREW, 7/8" DIA X 7/8" L BUSSMAN W15 59-06-715		
290	104 EA. FUSE, CLEAR PLUG, 30A, 125VAC, GLASS/CERAMIC, SCREW, 7/8" DIA X 7/8" LG BUSSMAN W30 59-06-730		
291	100 EA. FUSE, CLEAR S PLUG, 30A, 125VAC, GLASS/CERAMIC, SCREW, 7/8" DIA X 7/8" LG, FUSTAT BUSSMAN S-30 59-06-830		
292	88 EA. FUSE, S PLUG, 20A, 125V, FUSTAT BUSSMAN S-20 59-06-820		
293	116 EA. FUSE, CLEAR S PLUG, 15A, 125VAC, GLASS/CERAMIC, SCREW, 7/8" DIA X 7/8" LG, FUSTAT BUSSMAN S-15 59-06-815		
294	8 EA. CONNECTOR, TEE, TUBE TO TUBE, STRAIGHT, 1" IPS RUN, 1" IPS COPPER TAP, BOLTED RUN CONNECTION, BOLTED TAP CONNECTION BURNDY NS1515 59-60-624		
295	7 EA. CONNECTOR, TEE, TUBE TO TUBE, STRAIGHT, 1-1/2" IPS RUN, 1-1/2" IPS COPPER TAP, BOLTED RUN CONNECTION, BOLTED TAP CONNECTION DOSSERT CP150 59-60-634		

LOT #	DESCRIPTION	BID PRICE	TOTAL
296	415 EA. CONNECTOR, TERMINAL (CABLE TO BUS) 3 TERMINAL (REPLACED BY 5641672 (4) TERMINAL ESP UTILITIES 56-41-671		
297	5 EA. ADAPTER, DRIVE END ASS'Y, LOCKING DOG ASSY 1.5" SHAFT CHANCE C303-0020 UNUSED		
298	Through 301 N/A		
302	400 EA. CONNECTOR #6 - #1/0 ACSR RUN TAP FARGO GA-9020L UNUSED NIS		
303	39 EA. CLAMPS BLACKBURN PAA400 UNUSED NIS		
304	6 EA. INSUL SECY TRANSFORMER 5/8" - 11UNC UNUSED 20-14-860		
305	35 EA. BOLT 3/4" X 24" UNUSED NIS		
306	29 ROLLS VINYL PLASTIC ELECTRIC TAPE 1" X 36 YDS 3M 17 24391A UNUSED NIS		
307	8 ROLLS FIRE RETARDANT ELECTRICAL ARC PROOFING TAPE 3M 3" X 20' UNUSED NIS		

Bid Deadline: 5:00 pm EST, Friday, May 2, 2008

NOTICE: National Grid is offering items surplus to its present needs. All items are sold as-is, where-is. National Grid reserves the right to reject any and all bids.

LOCATION: The surplus items will be offered from National Grid - Investment Recovery & Recycling Services Center - 4651 Crossroads Park Drive - Liverpool, NY 13088.

TERMS: PAYMENT IN FULL FOR ALL ITEMS MUST BE MADE BY Wednesday, May 14, 2008 with a certified check. All certified checks are to be made payable to "National Grid USA".

BIDDING PROCEDURE: Bid packages will be available online at www.cnyauctions.com/nationalgrid.htm beginning Monday, April 28, 2008. Bid packages MUST be received by 5:00 pm EST on Friday, May 2, 2008. Bids may be:

- hand delivered or mailed to Attn.: Tim Felasco at (315) 460-2947, National Grid - Investment Recovery, 4651 Crossroads Park Drive, Liverpool, NY 13088.
- Faxed to Tim Felasco at 315 457-4325
- E-mailed to RTimothy.Felasco@us.ngrid.com

INSPECTION: BY APPOINTMENT ONLY: Monday, April 28 through Friday, May 2, 2008 - 8:00 am - 3:30 pm.

NOTIFICATION OF HIGH BIDDERS: The successful bidder(s) will be notified of the acceptance of their bid(s).

REMOVAL: All items must be removed by Wednesday, May 21, 2008. The purchaser is responsible for removal, securing and transporting their awarded material.

BUYERS SHOULD INSPECT PRIOR TO BIDDING TO ENSURE ACCURACY!

Everything will be sold as-is where-is, in its existing condition, with no warranties expressed or implied. The information contained herein has been gathered from reliable sources; however, accuracy cannot be guaranteed. Descriptions are merely external observations.

ACCOMODATIONS: *Super 8 Motel*, 421 7th North Street, Liverpool, NY Phone: 315-451-8888 *Holiday Inn*, 7th North Street & Electronics Parkway, Liverpool, NY Phone: 315-457-1122 *Ramada Inn*, 1305 Buckley Road, North Syracuse, NY Phone: 315-457-8670

NOTE: New York State requires sales tax be charged when possession of materials and equipment are sold in New York State unless a properly completed exemption document is supplied to National Grid. If you take possession of this material in New York State (pickup by your trucks rather than a common carrier), and you do not furnish us with the proper New York State exemption document, we must collect 8% sales tax.

TERMS AND CONDITIONS OF SALE*

1. **AGREEMENT-** By this Agreement, Seller agrees to sell to Buyer, and Buyer agrees to purchase from Seller all his right, title, and interest to all materials specifically listed and described hereon for the prices shown.
2. **DEFINITIONS-** Buyer: The person or entity purchasing the material.
 Seller: National Grid Companies (Niagara Mohawk Power Corp, Massachusetts Electric Company, Narragansett Electric Company, Granite State Electric Company, Nantucket Electric Company, and National Grid USA Services Company), collectively referred to hereinafter as "National Grid"
 Material: The items of personal property listed on the bill of sale.
3. **CHANGES-ASSIGNMENTS** Buyer shall be considered an independent contractor. The terms of this agreement shall not be changed, superseded, or supplemented, except in writing, signed by the parties hereto. Any assignment or delegation of the Buyer's rights or obligations under this Agreement shall be void without the Seller's prior written consent.
4. **TAXES-** Price does not include any taxes which may now or hereafter be applicable to, measured by, or imposed upon, or with respect to transaction, property, its sale, its value, or its use, or any services performed in connection therewith. Buyer agrees to pay or reimburse any such taxes, which Seller is required to pay.
5. **PAYMENT-** Payment shall be by certified check, cashier's check, bank draft, or postal or express money order payable to **National Grid USA Service Co. Inc.** Payment must be made within seven (7) calendar days after notification of Seller's acceptance of Buyer's bid. Payment shall be made in full before shipment, pickup by Buyer or commencement of dismantling or other work (whichever occurs first) for all items purchased by Buyer unless otherwise specified. If Buyer fails to make payment, Seller reserves the right to sell or otherwise dispose of such property and to charge any loss or other extra expense to the defaulting Buyer, including attorney and collection fees incurred by Seller arising from Buyer's default. Payment must be mailed or delivered to:

 National Grid USA Service Co. Inc.
 Investment Recovery
 4651 Crossroads Park Drive
 Liverpool, NY 13088
6. **TITLE AND RISK OF LOSS-** Title to items herein sold shall pass from Seller to Buyer upon delivery to Buyer or Buyer's carrier at shipping point. Risk of Loss to the Material shall pass to Buyer when the Material is loaded onto the Buyer's or carrier's vehicle, unless stated otherwise. Buyer shall be required to comply with jobsite work rules, where applicable. Buyer shall, at his own expense, remove the Material within five (5) working days after notification of full receipt of payment. A Material Safety Data Sheet (MSDS) is available upon the request of the high bidder.
7. **DISCLAIMER OF WARRANTY-** Buyer takes Material AS IS and WHERE IS with Seller *SPECIFICALLY DISCLAIMING ANY EXPRESS OR IMPLIED WARRANTIES OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OF GOODS OR FITNESS FOR A PARTICULAR PURPOSE* and further, Buyer takes Material with knowledge that it might have been used for a period of time by Seller in its business.
8. **INDEMNITY-** Buyer also acknowledges and declares intent to be legally bound hereby to indemnify, save harmless and defend Seller, Seller's agents, and their employees, agents and representatives from all claims, losses, liabilities, and expenses including, but not limited to, all attorney fees arising out of bodily injury, death, or damage to property arising out of or resulting from any act or omission (negligent or otherwise) of Buyer, his agents, employees, representatives, or subcontractors in connection with this Agreement, unless due to the sole negligence of Seller, Seller's agents or their employees, agents and representatives. Buyer agrees to pay Seller's attorneys' fees and expenses required to enforce this provision. It being the Intent of this Agreement, as far as legally possible, to eliminate any liability on the part of the Seller, Seller's agents, and their employees, agents and representatives.
9. **ENTIRE AGREEMENT-** Buyer and Seller agree that there are no understandings, agreements or representations, expressed or implied, other than those expressed herein, and this agreement supersedes any prior understandings, agreements or representations and constitutes the entire agreement between the parties. By signing below or accepting the Material, Buyer acknowledges and accepts all the terms and conditions contained in this Agreement.
10. **TERMINATION-** This Agreement may be terminated at any time by Seller upon written notice of five (5) days. Failure of Buyer at any time to strictly comply with any terms of this Agreement, including payment or prompt pickup at scheduled time by Buyer's authorized personnel, shall be deemed a breach; and Seller thereon shall be entitled to cancel this Agreement immediately.
11. **LIMITATION OF LIABILITY-** The Seller shall not be liable for any incidental or consequential damages whatsoever, including without limitation, loss of use, loss of profits, loss of revenues, or liability to third parties. This limitation applies even if such liability arises out of tort (including negligence), warranty, contract or strict liability.
12. **INSURANCE-** From the commencement of the Agreement through completion, Buyer shall provide and maintain, at its own expense, insurance policies, issued by reputable insurance companies with an A.M. Best rating of at least B+, which meet or exceed the requirements listed herein:
 1. **Workers Compensation and Employers Liability insurance** as required by the States of New York, Massachusetts, Rhode Island and New Hampshire;
 2. **Comprehensive General Liability**, covering all operations to be performed under this Agreement, with minimum per occurrence limit of \$1,000,000 for Bodily Injury and \$1,000,000 for Property Damage. Coverage shall include Contractual liability and shall include all Sellers as additional insureds.
 3. **Automobile Liability**, covering all owned, non-owned and hired vehicles used in connection with the work or services to be performed under this Agreement with minimum per occurrence limit of \$1,000,000 for Bodily Injury and Property Damage.
 Buyer shall provide Seller with a Certificate of Insurance – evidencing the required coverage's, at or before the effective date of this agreement. Such certificates, and any renewals or extensions thereof, shall state that Buyer shall provide Seller with ten (10) days' written notice before the policies in question shall be diminished or canceled.
13. **SUBCONTRACTS-** The Seller shall have the right to reject any subcontractor. The Buyer shall be fully responsible for acts and omissions of all subcontractors, and other persons performing any part of the work for Buyer.
14. **SEVERABILITY-** To the extent that any provision of this Agreement shall be invalid, unlawful or unenforceable, it shall be severed from this Agreement without affecting the remaining provisions of the Agreement.
15. **LAWS AND PERMITS-** This Agreement is deemed to be a New York State Contract and shall be interpreted in accordance with the laws of the State of New York, and it is agreed that the venue of any action shall be in Onondaga County in New York State. Buyer shall give all notices and comply with all applicable federal, state, and local laws, ordinances, rules, regulations, codes, permits, licenses, authorizations, orders of any governmental body, agency, authority, or court having jurisdiction over any aspect of the Material, or requirements there under in connection with performance under this Agreement.
16. **CODE OF BUSINESS CONDUCT -** National Grid's policy is to establish, maintain and enforce the highest standards of integrity and fairness in all business dealings of the Company. Adherence to high ethical standards is essential to assure that National Grid Company business is conducted in accordance with its obligations to the public. No favoritism will be allowed in contract awards. Should this policy be violated, please report this fact immediately to:

Manager - Ethics and Compliance
 National Grid
 (315)428-5288
 - or -
 Director – Ethics and Compliance
 National Grid

Bidder's Signature: _____	Date: _____
_____ Please print bidder's name & company	

* THIS SIGNED TERMS AND CONDITIONS FORM **MUST** BE RETURNED WITH YOUR BID.



RESERVES THE RIGHT TO REJECT ANY OR ALL BIDS!

I UNDERSTAND THAT THESE TERMS AND CONDITIONS WILL APPLY TO ANY PURCHASES I MAKE AT THIS SALE. ALL QUANTITIES, LENGTHS AND WEIGHTS ARE APPROXIMATE. BIDDER MUST PERSONALLY INSPECT TO ENSURE ACCURACY.

This form must be signed and submitted with bids in order for the bid to be considered!

BIDDER # _____ E-MAIL ADDRESS: _____

NAME: _____ SIGNATURE: _____

COMPANY: _____

STREET: _____ CITY: _____ STATE: _____ ZIP: _____

PHONE: _____ FAX: _____ TAX EXEMPT: yes no

Please tell us how you heard of this sale:

- Faxed Sale Flyer National Grid Website e-Mail Other

PLEASE READ THE FOLOWING AND ATTACHED TERMS & CONDITIONS BEFORE SIGNING!

1. Buyers must pack up all lots - National Grid will load only. Buyers are responsible for making all shipping and transportation arrangements.
2. All quantities are approximate. Buyer must determine quantities in each lot.
3. Grouping lots together and bidding them as an entirety or with a contingency will be accepted and must be noted on the bid sheets.
4. Insurance is required only for buyers who are required to provide equipment and personnel on the seller's site to effect the removal of their purchases.
5. Check and re-check all bid entries. Any errors are the bidder's responsibility.
6. Failure to honor successful bids submitted will result in a \$500.00 non-refundable security deposit, at registration, for all future sales.

